

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S12 2	3	((("5737395") or ("5608786") or ("6760752")).PN.	USPAT	OR	OFF	2005/08/31 11:20
S12 3	13	(US-20030135565-\$).did. or (US-4223403-\$ or US-5455864-\$ or US-5552897-\$ or US-5719938-\$ or US-6023506-\$ or US-6424718-\$ or US-6601170-\$ or US-6651166-\$ or US-6665709-\$ or US-6732101-\$ or US-6741705-\$ or US-6775382-\$).did.	US-PGPUB; USPAT	OR	ON	2005/08/31 11:21
S12 4	404	("5608786").URPN.	USPAT	OR	ON	2005/08/31 11:23
S12 5	18	S124 and unified.ab.	USPAT	OR	ON	2005/08/31 11:24
S12 6	79	S124 and unified	USPAT	OR	ON	2005/08/31 11:24
S12 7	61	S124 and unified and (retriev\$5 near3 (message or mail))	USPAT	OR	ON	2005/08/31 11:25
S12 8	2	S124 and unified and (retriev\$5 near3 (message or mail)) and imap	USPAT	OR	ON	2005/08/31 11:26
S12 9	5	S124 and unified and (retriev\$5 near3 (message or mail)) and ldap	USPAT	OR	ON	2005/08/31 11:27
S13 0	20	S124 and unified and (retriev\$5 near3 (message or mail)) and mime	USPAT	OR	ON	2005/08/31 11:46
S13 1	16	S124 and unified and (retriev\$5 near3 (message or mail)) and encrypt\$5	USPAT	OR	ON	2005/08/31 11:31
S13 2	2	S124 and unified and (retriev\$5 near3 (message or mail)) and encrypt\$5 and (decrypt\$5 or de-crypt\$5)	USPAT	OR	ON	2005/08/31 11:32
S13 3	97	unified and (retriev\$5 near3 (message or mail)) and encrypt\$5 and (decrypt\$5 or de-crypt\$5)	USPAT	OR	ON	2005/08/31 11:33
S13 4	80	unified and (retriev\$5 near3 (message or mail)) and ((encrypt\$5 or decrypt\$5 or de-crypt\$5) same (gui or interface or button or prompt))	USPAT	OR	ON	2005/08/31 11:34
S13 5	30	unified and (retriev\$5 near3 (message or mail)) and ((encrypt\$5 or decrypt\$5 or de-crypt\$5) with (gui or interface or button or prompt))	USPAT	OR	ON	2005/08/31 11:35
S13 6	19	unified and (retriev\$5 near3 (message or mail)) and (encrypt\$5 with (gui or interface or button or prompt)) and ((decrypt\$5 or de-crypt\$5) with (gui or interface or button or prompt))	USPAT	OR	ON	2005/08/31 11:35
S13 7	68	imap and encrypt\$5 and (decrypt\$5 or de-crypt\$5)	USPAT	OR	ON	2005/08/31 11:50
S13 8	9682	encrypt\$5 and (decrypt\$5 or de-crypt\$5)	USPAT	OR	ON	2005/08/31 11:52
S13 9	5685	(encrypt\$5 near4 (message or mail or data)) and ((decrypt\$5 or de-crypt\$5) near4 (message or mail or data))	USPAT	OR	ON	2005/08/31 12:01

S14 0	915	(encrypt\$5 near4 (message or mail or data)) and ((decrypt\$5 or de-crypt\$5) near4 (message or mail or data)) and ((browser or server) with (interface or gui or button or prompt))	USPAT	OR	ON	2005/08/31 12:03
S14 1	926	(encrypt\$5 near4 (message or mail or data)) and ((decrypt\$5 or de-crypt\$5) near4 (message or mail or data)) and ((browser or server or proxy) with (interface or gui or button or prompt))	USPAT	OR	ON	2005/08/31 12:04
S14 2	90	(encrypt\$5 near4 (message or mail or data)). ab. and ((decrypt\$5 or de-crypt\$5) near4 (message or mail or data)) and ((browser or server or proxy) with (interface or gui or button or prompt))	USPAT	OR	ON	2005/08/31 12:03
S14 3	36	(encrypt\$5 near4 (message or mail or data)). ab. and ((decrypt\$5 or de-crypt\$5) near4 (message or mail or data)).ab. and ((browser or server or proxy) with (interface or gui or button or prompt))	USPAT	OR	ON	2005/08/31 12:04
S14 5	507	(encrypt\$5 near4 (message or mail or data)) and ((decrypt\$5 or de-crypt\$5) near4 (message or mail or data)) and ((user or client) near4 (enter\$4 or input\$4 or suppl\$5) near4 key)	USPAT	OR	ON	2005/08/31 12:06
S14 6	78	(encrypt\$5 near4 (message or mail or data)). ab. and ((decrypt\$5 or de-crypt\$5) near4 (message or mail or data)).ab. and ((user or client) near4 (enter\$4 or input\$4 or suppl\$5) near4 key)	USPAT	OR	ON	2005/08/31 12:43
S14 7	16	xml and servo	USPAT	OR	ON	2005/08/31 12:43
S14 8	0	xml same servo	USPAT	OR	ON	2005/08/31 12:43
S14 9	2	(("6584564") or ("6760752")).PN.	USPAT	OR	OFF	2005/09/02 16:58
S15 0	4	("6584564").URPN.	USPAT	OR	ON	2005/09/02 16:59
S15 1	2	("6760752").URPN.	USPAT	OR	ON	2005/09/02 17:04
S15 2	1251	(key near3 (input\$4 or enter\$4 or select\$4)) with encrypt\$6	USPAT	OR	OFF	2005/09/02 19:42
S15 3	1	(key near3 (input\$4 or enter\$4 or select\$4)) with (dencrypt\$6 or de-crypt\$6)	USPAT	OR	OFF	2005/09/02 17:07
S15 4	2	(key near3 (input\$4 or enter\$4 or select\$4)) same (dencrypt\$6 or de-crypt\$6)	USPAT	OR	OFF	2005/09/02 17:07
S15 5	1122	((key near3 (input\$4 or enter\$4 or select\$4)) with encrypt\$6) and (decrypt\$4 or de-crypt\$4)	USPAT	OR	OFF	2005/09/02 17:10
S15 6	140	(key near3 (input\$4 or enter\$4 or select\$4)) with encrypt\$6 with (email or message or mail or e-mail)	USPAT	OR	OFF	2005/09/02 17:11

S15 7	5	("5751814"   "5943423"   "6014688"   "6304897"   "6367010").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/02 19:25
S15 8	1	("6367010").URPN.	USPAT	OR	ON	2005/09/02 19:39
S15 9	249	secret adj1 key adj1 encryption	USPAT	OR	ON	2005/09/02 19:44
S16 0	339	(symmetric adj1 encryption) near8 key	USPAT	OR	ON	2005/09/02 19:46
S16 1	9746	(key near3 (input\$4 or enter\$4 or select\$4)) with (user or client)	USPAT	OR	OFF	2005/09/02 19:42
S16 2	2	S159 same S161	USPAT	OR	OFF	2005/09/02 19:42
S16 3	1	S160 same S161	USPAT	OR	OFF	2005/09/02 19:42
S16 4	1595	(secret adj1 key) with encrypt\$6	USPAT	OR	ON	2005/09/02 19:45
S16 5	55	S161 same S164	USPAT	OR	ON	2005/09/02 19:45
S16 6	871	(symmetric\$3 near3 key) near5 encrypt\$6	USPAT	OR	ON	2005/09/02 19:47
S16 7	5	S161 same S166	USPAT	OR	ON	2005/09/02 19:47
S16 8	8	("5485474"   "5491749"   "5491750"   "5544322"   "5604490"   "5625692"   "5752041"   "5758068").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/02 19:51
S16 9	2	("6192472").URPN.	USPAT	OR	ON	2005/09/02 19:51
S17 0	4	("6584564").URPN.	USPAT	OR	ON	2005/09/02 20:00
S17 1	73	retriev\$4 with (message or email or e-mail or mail) with stor\$5 with encrypt\$6	USPAT	OR	ON	2005/09/02 20:01
S17 3	3	((("6549612") or ("6741705") or ("6629122"))).PN.	USPAT	OR	OFF	2005/09/26 10:19
S17 4	2	S173 and smtp	USPAT	OR	ON	2005/09/26 10:19
S17 7	7	("5572643"   "5652789"   "5675507"   "5732216"   "5867494"   "5884262"   "5946386").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/26 11:18
S17 8	29	("6549612").URPN.	USPAT	OR	ON	2005/09/26 11:19